

## Program: Poster presentations, Alphabetic list

Name	Location	Title of contribution	#
Numan <b>Almonasy</b>	Pardubice CZ	UV/Vis spectral and Photophysical Properties of <i>N</i> -Triazinyl Derivatives of 1-Aminoanthracene	<b>P55</b>
Joakim <b>Andréasson</b>	Göteborg S	All-photonic multifunctional molecular logic device	<b>P11</b>
Tommaso <b>Avellini</b>	Bologna I	Self-assembled complexes of quantum dots and anthracene derivates	<b>P44</b>
Magnus <b>Bälter</b>	Göteborg S	An All-Photonic Molecule-Based D Flip-Flop	<b>P12</b>
Nicola <b>Basarić</b>	Zagreb HR	Photochemical formation and investigation of antiproliferative effect of adamantylanthracene quinone methides	<b>P58</b>
Sarah <b>Bay</b>	Düsseldorf D	Functional Donor-Acceptor-Systems for Photo-induced Electron Transfer	<b>P45</b>
Jérémy <b>Bell</b>	Cachan F	Fluorescents phosphane oxide, sulfide and selenide derivatives for mercury detection in aqueous medium	<b>P46</b>
Falko <b>Berndt</b>	Berlin D	7-Amino-Dibenzofuran-3-Carboxylate: a new probe for femtosecond dynamic microsolvation studies of biomolecules	<b>P73</b>
Agnieszka <b>Burczyk</b>	Cologne D	New Fragrance Photocages	<b>P13</b>
Rafael Krick <b>Calderon</b>	Erlangen D	Photophysical Properties of a Supramolecular Hydrogen-Bonded Phthalocyanine-Perylenediimide Assembly	<b>P28</b>
Nicola <b>Cindro</b>	Zagreb HR	Mechanistic study of photoinduced intramolecular H-abstraction in endo- and exo-protoadamantylphthalimides	<b>P65</b>
Alberto <b>Credi</b>	Bologna I	Combinational logic circuits based on a self-assembling photochemionic system	<b>P47</b>
Cornelia <b>Damm</b>	Erlangen D	Photoluminescence properties of pigment nanoparticles prepared by top-down-approach	<b>P52</b>
Martin <b>Danko</b>	Bratislava SK	Y-Shaped Push-Pull Fluorophores Based on Imidazole: Spectral Properties in Solution and in Polymer Matrices	<b>P59</b>
André <b>Del Guerso</b>	Talence F	Highly Emissive and Color-Tunable Anisotropic Organic Crystals and Nano-Objects	<b>P48</b>
Alexis <b>Depauw</b>	Cachan F	Synthesis and photophysical properties of a fluorescent water-soluble potassium sensor	<b>P49</b>
Bogdan <b>Dereka</b>	Kharkov UA	Spectral behaviour and extreme sensitivity of some heteroaromatic derivatives of 3-hydroxychromone to Hg <sup>2+</sup> ions in aqueous media	<b>P53</b>
Maren <b>Dill</b>	Konstanz D	A Photocleavable Fluorescence Dye Dyad for Single Molecule Spectroscopy	<b>P14</b>
Jens <b>Eberhard</b>	Bielefeld D	Acridinium- and Acridine-Dye substituted Terpyridine Complexes of Ruthenium and Zinc	<b>P74</b>
Sanin <b>Eduard</b>	Kharkov UA	Bis-chromophore coumaroyl/benzopyrylium dyes: spectral behaviour in organic media	<b>P63</b>
Elena <b>Golubeva</b>	Moskow RUS	Alkyl Complexes of Copper(II): Photochemical Synthesis and Spectral Properties	<b>P36</b>

Robert <b>Gössl</b>	Berlin D	Improving the Switching Behavior of Novel Dithi- enylethenes	<b>P16</b>
Franziska <b>Graupner</b>	Munich D	Formation of DNA photolesions resolved by transient IR-spectroscopy and time-resolved fluorescence spec- troscopy	<b>P3</b>
Martin <b>Hammarson</b>	Göteborg S	Photochromic Spiropyran-Merocyanine in Aqueous Solution – pH and Temperature Effects	<b>P16</b>
Sebastian <b>Hanft</b>	Cologne D	Fluorimetric detection of anions by new urea- thalamide dyads	<b>P50</b>
Martin <b>Herder</b>	Berlin D	Diarylethenes as Functional Units for Remote- controlling of Properties and Processes	<b>P17</b>
Ottó <b>Horváth</b>	Veszprém H	The role of the distorted structure in the photoinduced behaviour of cationic bismuth(III) porphyrins	<b>P27</b>
Ottó <b>Horváth</b>	Veszprém H	Formation, photophysical and photochemical properties of anionic bismuth(III) porphyrins	<b>P29</b>
Ottó <b>Horváth</b>	Veszprém H	Spectroscopic, photophysical and quantum chemical study of the protonation of the [Ru(dmdpq)(CN) <sub>4</sub> ] <sup>2-</sup> complex	<b>P31</b>
Rodion <b>Iliashenko</b>	Kharkiv UA	Interaction of <i>ortho</i> -POPOP derivatives and their thio- analogues with d-elements cations	<b>P54</b>
Ľubica <b>Klíčová</b>	Brno CZ	Adiabatic triplet state tautomerization of p- hydroxyacetophenone in aqueous solution	<b>P68</b>
Dmitry <b>Kolodezny</b>	Kharkov UA	1,4-bis-(3-hydroxy-4-oxo-4H-chromen-2-yl)-benzene: a fluorescent dye with a possibility of the double proton transfer	<b>P61</b>
Alexander <b>Konkin</b>	Ilmenau D	Photo-induced charge separation process in a donor– acceptor (C60-PCB-Nitroanilin)/P3HT blend studied by means of X- band LESR at 77K	<b>P32</b>
Juraj <b>Kronek</b>	Bratislava SK	Fluorescently labelled polymers for monitoring in cells	<b>P4</b>
Stephan <b>Landgraf</b>	Graz A	On the fluorescence of methyl orange	<b>P56</b>
Torsten <b>Lechner</b>	Düsseldorf D	Caged Compounds: Design of Bichromophores as Im- proved Tools for Biophysical and Biochemical Investi- gations	<b>P18</b>
Florian <b>Lederer</b>	Munich D	Excimer Formation in 9,10-Dichloroanthracene	<b>P69</b>
Christian <b>Ley</b>	Mulhouse F	Role of Electron Transfert in Cyclic Three Components Photoinitiating Systems	<b>P38</b>
Christophe <b>Lincheneau</b>	Bologna I	Synthesis and study of Cd-free quantum dots	<b>P51</b>
Benjamin <b>März</b>	Munich D	Dynamics of Photoswitchable DABCYL-derivates	<b>P19</b>
Jochen <b>Mattay</b>	Bielefeld D	Photoswitchable fluorescent SiO <sub>2</sub> -nanoparticles: Synthesis and characterization	<b>P20</b>
Ramona <b>Mundt</b>	Düsseldorf D	Background Reduction in Fluorescence Kerr Gating	<b>P71</b>
Niamh <b>Murray</b>	Basel CH	Catalytic Oxidation of Water using Ruthenium(II) Complexes	<b>P40</b>

<b>Mirco Natali</b>	Ferrara I	Fluorescence Photoswitching by Intramolecular Electron Transfer in a Perylenebisimide-Diarylethene System	<b>P21</b>
<b>Tatiana Nekipelova</b>	Moscow RUS	Light vs. proton initiation of cycloaddition reaction between phenylacetylene and mixed phosphonium-iodonium ylide	<b>P64</b>
<b>Tatiana Nekipelova</b>	Moscow RUS	Photophysics and photochemistry of nitro-substituted 1,2-dihydroquinolines	<b>P66</b>
<b>Oleksii Nevskiy</b>	Kharkiv UA	Nitrogen-containing heterocyclic 2-substituted 3-hydroxychromone derivatives as sensors for toxic metal ions	<b>P43</b>
<b>Bokolombe Ngoy</b>	Brno CZ	Laser Flash Photolysis studies of o-hydroxyacetophenone and its derivatives	<b>P5</b>
<b>Jesper Nilsson</b>	Göteborg S	On the isomerization and hydrolysis kinetics of a novel spiropyran photochrome upon complexation to cucurbit[7]uril in aqueous solution	<b>P33</b>
<b>Mariela Nolasco</b>	Aveiro P	Modeling 4,7-disubstituted phenantroline ligands to match the $^5D_0$ level of europium: a DFT study	<b>P34</b>
<b>Esther Oliveros</b>	Toulouse F	Photodimerization of 6-hydroxymethyl-7,8-dihydropterin in aqueous solution under UV-A irradiation	<b>P6</b>
<b>Tamara Pace</b>	Göteborg S	DNA Binding of Photochromic Dithienylethenes	<b>P7</b>
<b>Jean-Luc Pozzo</b>	Talence F	Photo-modulated ion transfer in artificial switching systems	<b>P22</b>
<b>Hana Přichystalová</b>	Pardubice CZ	Absorption and Fluorescence Spectroscopy of N-Triazinyl Derivatives of 9-Aminoanthracene	<b>P57</b>
<b>Sabine Richert</b>	Geneva CH	Ultrafast Bulk Investigations on the Photo-Induced Electron Transfer between Tryptophan and the Potential Interfacial Probe Lucifer Yellow	<b>P72</b>
<b>Michal Rode</b>	Warsaw PL	Theoretical study on photophysics of 3-hydroxy picolinic acid	<b>P70</b>
<b>Jennifer Rudd</b>	Basel CH	Copper(I) Complexes for Application in Dye-Sensitised Solar Cells: A Comparative Experimental and TD-DFT Investigation	<b>P1</b>
<b>Marc Rudolf</b>	Erlangen D	A Paradigm Change – Linking Fullerenes to Electron Acceptors	<b>P30</b>
<b>Hanène Salmi</b>	Mulhouse F	Coumarin Dye / Thiol / Triazine as new highly efficient photoinitiating system for free radical polymerization under visible light in aerated media	<b>P39</b>
<b>Natalya Saprygina</b>	Novosibirsk/RUS	The effect of pH on the reactivity of histidine and tryptophan in the photoinduced reaction	<b>P8</b>
<b>Petr Sherin</b>	Geneva CH	An unsaturated bond as a tuning tool for advancing the efficiency of UV protection of human eye	<b>P9</b>
<b>Anatoly Shushin</b>	Moscow RUS	Effect of interparticle interaction on the kinetics of diffusion-assisted geminate reactions	<b>P67</b>
<b>Artem Smolentsev</b>	Novosibirsk/RUS	Photochromic crown-containing naphthopyrans: photoswitchable fluorescence and cation-dependent photochromism	<b>P24</b>
<b>Denis Svechkarev</b>	Kharkov UA	Alternative ESIPT in 3-hydroxychromones as a path for design of new multiband luminophores	<b>P25</b>
<b>Erzsébet Szabó-Bárdos</b>	Veszprém H	Combination of heterogeneous photocatalysis with ozonation for degradation of organic pollutants	<b>P37</b>

Alexander <b>Tatilikov</b>	Moscow RUS	Meso-substituted polymethine dyes as probes for biom- acromolecules	<b>P2</b>
Alexandra <b>Trushina</b>	Novosi- birsk/RUS	UV-photoexcitation of oxygen encounter complexes X- O <sub>2</sub> as a new source of singlet oxygen O <sub>2</sub> ( <sup>1</sup> Δ <sub>g</sub> )	<b>P41</b>
Zsolt <b>Valicsek</b>	Veszprém H	Photophysical and photochemical investigation of wa- ter-soluble, anionic lanthanum(III) porphyrins	<b>P26</b>
Patrícia <b>Vaz</b>	Aveiro P	From coordination geometries to excited-state proper- ties of a new α-substituted β-diketonate europium (III) complex: a combined experimental and theoretical ap- proach	<b>P35</b>
Philipp <b>Viehmann</b>	Berlin D	Towards Photoswitchable Polymerization Catalysts	<b>P10</b>
Anna <b>Wcisło</b>	Gdansk PL	Photophysical and photochemical properties of novel aminoanthraquinone derivatives	<b>P60</b>
Anna <b>Wcisło</b>	Gdansk PL	Spectroscopic and acid-base properties of aminoantra- quinone derivatives	<b>P62</b>

P42 cancelled.